


COMMON SENSE & NONSENSE

It's unwise to pay too much, but worse to pay too little. When you pay too much, you lose a little money--that is all. When you pay too little, you sometimes lose everything. Because the thing that you bought was incapable of doing the thing it was bought to do. The common law of business balance prohibits paying a little and getting a lot--it can't be done. If you deal with the lowest bidder, it is well to add something for the risk you run. If you do that you will not have enough to pay for something better.

**John Ruskin
(1819-1900)**



OUTDOOR
LIGHTING HERWIG FIXTURES
CAST METAL

PO Box 768
Russellville AR 72801
TEL# 479-968-2621
Fax# 479-968-6422



Dear Customer:


Enclosed, is a catalog illustrating some of our many design variations and capabilities of our custom lighting manufacturing facilities. A great many of our units shown are interchangeable and can be made in many more combinations than would be possible to illustrate.

Should you require a special design, send us your scale drawing, photograph or sketch, and specifications. We would be pleased to furnish suggestions on how to meet your requirements. Herwig has a large number of special patterns not illustrated in our catalog, which were once custom designs on other projects.

All standard Herwig products are custom manufactured to your specifications. Because of the many variations available, we do not publish a price sheet.

If you have any questions as to custom designs and / or budget estimates, please feel free to call us on our toll free number 1-800-643-9523.

Cordially,
Donald F. Wynn
President



Herwig Lighting Fixtures

Since 1908

herwiglighting@hotmail.com





MODERN PENDANT FOR
EXTERIOR OR INTERIOR
USE.

No. 019: Height overall 24".
Canopy 4 1/2". Opal Ball
Globe Diameter 12".
Maximum Watt. 150W.




NO. 99 GLOBE HOLDER
NO. 6 FITTER TO BE
USED UP OR DOWN



NO. 454

NO. 454: Height overall
16". Lantern size 9" x
12". Backplate 4 1/4" x
12".
Wall to center 7 1/2".




NO. D404: Height overall
33". Lantern size 15" x 18".
Backplate 4 1/2" x 9".
Wall to center 10 1/4".
Maximum Watt. 300W.




NO. 0404: Height overall
33". Lantern size 13" x
19 1/2". Backplate 4 1/2" x
9". Wall to center 10 1/4".
Maximum Watt. 300W.

LIFETIME LIFELINE...  Approved

This is the thickness of the metal in our fixtures → 




Herwig No. 3100 Lantern
w/ No. LR - 3.5 Post Fitter




NO. 168:
Height Overall 29"
Lantern Size 6x25". Backplate
5 1/4"x25 1/2". Wall to Center
8 3/4".



NO. 0246: Height 31 1/2".
Diameter at top 17". Slip
fit 3". Posts F,G, or H.
Maximum Watt. 300W.



NO. 012: Height 19".
Diameter at top 15". To
Slip fit 3". Post C, D, E,
F, or G. Maximum Watt.
150W.



NO. 185:
33 1/2". Lantern Size 6x24".
Base Size 7" Squared.




NO. 012: Height 22 1/2".
Diameter at top 15". To Slip
fit 3". Posts C,D,E,F, or G.
Maximum Watt. 150W.



NO. 07: Height 13 1/2" overall. Diameter 18 1/2". Slip fit 2 1/2". Maximum Watt. 150W.





NO. 0213: Height overall 21 1/2". Backplate 4 1/4"x 6 3/4". Wall to center 7 1/2". Maximum Watt. 150W.



Electric Eye: Automatic Light Control for Post and Bracket Lights. Unit Totally Incased 1 1/8" x 2" x 7/8".


NO. 1001: Receptacle, 3 wire grounding. Snap in type with wire leads.



NO. 100: Height Overall 31 1/2". Diameter at widest point 18 1/2". Maximum Watt. 60W.

LIFETIME LIFELINE...  Approved
This is the thickness of the metal in our fixtures → 

SCALE - 1 INCH EQUALS 1 FOOT
0' 3" 6" 9" 1' 2' 3'



NO. 0413: Height overall
20". Width overall 28 1/2".
Lantern size 9" x 15".
Backplate 4 1/4" x 6 3/4".
Wall to center 7 1/2".
Maximum Watt. 150W.




NO. 0D471 Post and
Lantern Comb.
O.A. Height 99"
Post Height 84"
Width 27"



NO. 0471: Post and
Lantern Comb.
O.A. Height 98"
Post Height 84"
Width 20"





NO. 0411: Height overall
20". Width overall 28 1/2".
Lantern size 9" x 11".
Backplate 4 1/4" x 6 3/4".
Wall to center 7 1/2".
Maximum Watt. 150W.



Herwig NO. 3120


Herwig Posts E - Series




No. 901:
Height overall 36"
Lantern Size 11"x23"
Canopy 5 1/4"




No. 903:
Height overall 29"
Lantern Size 11"x25"
Base diameter 8"



No. 902:
Height overall 27 1/2"
Lantern Size 11"x27 1/2"
Backplate 6"
Wall to center 9 1/4"



No. 540:
Height overall 20"
Lantern Size 9"x20"
Backplate 4 1/4"x6"
Wall to center 7"




No. 542:
Height overall 26"
Lantern Size 9"x22"
Octagon base diameter 8"



No. 541:
Height overall 36"
Lantern Size 9"x20"
Canopy 5 1/4"

LIFETIME LIFELINE... Approved

This is the thickness of the metal in our fixtures →






NO. A-241:
Height overall 4'6".
Lantern size 18 1/2"x
31". Canopy 7 3/4".



NO. B-241:
Height overall 4'.
Lantern size 14 1/4" x 22".
Canopy 7 3/4".




NO. 218:
Height overall 36".
Lantern size 9"x11 1/4".
Canopy 5 1/4".




Herwig # HWS -41

Available with 3" Post Fitter




NO. A-227:
Height Overall 42".
Lantern size 18 1/2"x
31". Backplate 7 1/4"x
15 1/2". Wall to center 12".



NO. A-239:
Height Overall 47 1/2".
Lantern size 18 1/2"x
31". Backplate 7 1/4"x
15 1/2". Wall to center 12".



NO. B-226:
Height Overall 37".
Lantern size 14 1/2"x
22". Backplate 7 1/4"x
15 1/2". Wall to center 12".




NO. C-230:
Height Overall 35 1/4".
Lantern size 14 1/4"x
22". Backplate 4 1/2"x
9". Wall to center 7 1/2".
Maximum Watt. 300W.

NO. B-227:
Height Overall 33".
Lantern size 14 1/4"x
22". Backplate 7 1/4"x
15 1/2". Wall to center 12".
(Illustrated)


NO. B-239:
Height Overall 39".
Lantern size 14 1/4"x
22". Backplate 7 1/4"x
15 1/2". Wall to center 12".
(Illustrated)

NO. A-226:
Height Overall 46".
Lantern size 18 1/2"x
31". Backplate 7 1/4"x
15 1/2". Wall to center 12".




Herwig NO. HWJ-33

Available with 3" Post Fitter




Herwig NO. HWJ-33-A

Available with 3" Post Fitter




NO. 230:

Height overall 31 1/2".
Lantern size 22 1/2"x
14 1/4". Backplate 6"x
12". Wall to center
10 1/2".




NO. 231:

Height overall 29".
Lantern size 14 1/4"x
22 1/2". Backplate 6"x
12". Wall to center
10 1/2".




NO. 126:

Height overall 17".
Lantern size 11 1/4"x9".
Backplate 4 1/4"x6".
Wall to center 7 1/2".



NO. 129:

Height overall 20".
Lantern size 9"x17".
Backplate 4 1/4"x6".
Wall to center 7 1/2".



NO. 193:

Height overall 14 1/4".
Lantern size 9"x11 1/4".
Backplate diameter 6".
Wall to center 7".




NO. 147:
Height overall 19 1/4".
Lantern size 9"x17".
Base diameter 4 3/4".



NO. A-228:
Height overall 39".
Lantern size 31"x18 1/2".
Base diameter 13".



NO. B-228:
Height overall 26 1/2".
Lantern size 14 1/4"x
22 1/2". Base
diameter 8".



NO. 192:
Height overall 20".
Lantern size 9"x17".
Backplate diameter 6".
Wall to Center 7".



NO. C-129:
Height overall 27".
Lantern size 9"x17".
Backplate 4 1/2"x6 3/4".
Wall to Center 10 1/4".
Maximum Watt. 150W.

LIFETIME LIFELINE...  Approved


This is the thickness of the metal in our fixtures →

SCALE - 1 INCH EQUALS 1 FOOT
0' 3" 6" 9" 1' 2' 3'




NO. G-251:
Height overall 30 1/2"
Lantern size 17"x20 1/2".
Backplate 6"x12".
Wall to center 10 1/2".
(Gothic frame - illustrated.)


NO. P-251:
Same as above, except
plain frame.



NO. 130:
Height overall 16".
Lantern size 7"x13".
Backplate 4 1/4"x6 3/4".
Wall to center 7 1/2".



NO. 128:
Height overall 23 1/2".
Lantern size 11 1/2"x18 1/2".
Backplate 4 1/2"x9".
Wall to center 10 1/4".




NO. 123:
Height overall 18".
Lantern size 12"x11 1/2".
Backplate 4 1/2"x9".
Wall to center 10 1/4".



NO. C-128:
Height overall 33 1/4".
Lantern size 11 1/2"x20".
Backplate 4 1/2"x9".
Wall to center 10 1/4".
Maximum Watt. 200W.




NO. P-250:
Height overall 41".
Lantern size 17"x32".
Backplate 6"x12".
Wall to center 10 1/2".
(Plain frame-illustrated.)



NO. G-225:
Height overall 47 1/2".
Lantern size 17"x32".
Backplate 7 3/4"x16 1/2".
Wall to center 12".
(Gothic frame-illustrated.)

No. G-250
Same as above, except
plain frame.



Herwig Cast Posts


LIFETIME LIFELINE... Approved

8

This is the thickness of the metal in our fixtures →

SCALE - 1 INCH EQUALS 1 FOOT
0' 3" 6" 9" 1' 2' 3'

Herwig Posts




NO. c-130
Height overall 23 1/2".
Lantern Size 7 1/2"x
13 1/2". Backplate 4 1/2"x
6 3/4". Wall to center
7 1/2". Maximum Watt.
100W.



NO. 138:
Height overall 30".
Lantern size 7"x8 1/2".
Canopy 5 1/4.



NO. G-242:
Height overall 44".
Lantern size 20 1/2"x
17". Canopy 7 3/4.
(Gothic frame-illustrated.)




NO. 223:
Height overall 36".
Lantern size 12"x
11 1/2".
Canopy 5 1/4.

No. P-242:
Same as above, except
plain frame.



NO. 116:
Height overall 11".
Lantern size 7"x8 1/2".
Backplate 4 1/4"x
6 3/4". Wall to center
7 1/2".



NO. 172:
Canopy or base 9 1/2".
x 11". Lantern size
6"x9".



NO. 148:
Height overall 17".
Lantern size 14 1/2"x
11 1/2". Base 4 3/4"
square.




NO. P-229:
Height overall 36".
Lantern size 17"x
32". Base Diameter
8". (Plain frame-
illustrated.)

No. G-229:
Same as above, except
gothic frame.


LIFETIME LIFELINE ...  Approved

This is the thickness of the metal in our fixtures → 


SCALE - 1 INCH EQUALS 1 FOOT
0' 3" 6" 9" 1' 2' 3'




NO. P-166: Height overall 3'6". Lantern size 11 1/2"x17". Canopy 5 1/4".




NO. P-164: Height overall 27". Lantern size 11 1/2"x27". Backplate 7 1/4"x15 1/2". Wall to center 8 1/2".




NO. P-177: Height overall 29". Lantern size 25"x11 1/2". Base 8".




NO. P-508: Height overall 23 1/2". Lantern size 11 1/2"x22". Backplate 7 1/4"x15 1/2". Wall to center 8 1/2".




NO. G-166: Height overall 3'6". Lantern size 11 1/2"x17". Canopy 5 1/4".




NO. G-164: Height overall 27". Lantern size 11 1/2"x27". Backplate 7 1/4"x15 1/2". Wall to center 8 1/2".




NO. G-177: Height overall 29". Lantern size 25"x11 1/2". Base 8".




NO. G-508: Height overall 23 1/2". Lantern size 11 1/2"x22". Backplate 7 1/4"x15 1/2". Wall to center 8 1/2".




NO. D-166: Height overall 3'6". Lantern size 11 1/2"x17". Canopy 5 1/4".



NO. D-164: Height overall 27". Lantern size 11 1/2"x27". Backplate 7 1/4"x15 1/2". Wall to center 8 1/2".




NO. D-177: Height overall 29". Lantern size 25"x11 1/2". Base 8".




NO. D-508: Height overall 23 1/2". Lantern size 11 1/2"x22". Backplate 7 1/4"x15 1/2". Wall to center 8 1/2".

Gothic Design Wall Pocket Lanterns

Wall pocket lanterns may be used in combination with other lanterns shown hereon, as side brackets or alone on large and small buildings.




Herwig No. WB-2311-P
(Backplate 5" X 20")



NO. G-490: Height overall 33". Lantern size 11 1/2"x 33". Backplate 5 1/4"x18". Wall to center 10". Gothic frame, illustrated.

NO. P-490: Height overall 33". Lantern size 11 1/2"x 33". Backplate 5 1/4"x18". Wall to center 10". Plain frame.





NO. G-491: Height overall 28". Lantern size 11 1/2"x 28". Backplate 5 1/4"x18". Wall to center 10". Gothic frame, illustrated.

NO. P-491: Height overall 28". Lantern size 11 1/2"x 18". Backplate 5 1/4"x18". Wall to center 10". Plain frame.


NO. G-492: Height overall 4'. Lantern size 11 1/4"x23". Canopy 5 1/4". Gothic frame, illustrated.

NO. P-492: Same as above measure; plain frame.



NO. G-493: Height overall 34". Lantern size 9 1/4"x 22". Backplate 12 1/4"x28". Depth 7". Gothic frame, illustrated.


NO. P-493: Same measure as above, plain frame.




NO. A-212: Height overall 24". Back-Plate 8 1/2"x24". Depth 4 1/2".



NO. B-212: Height overall 16". Back-Plate 9 3/4"x16". Depth 4 1/2".



NO. A-150: Height overall 16". Back-Plate 7"x16". Depth 4".





NO. B-150: Height overall 13". Back-Plate 7"x13". Depth 4".

LIFETIME LIFELINE...  Approved

This is the thickness of the metal in our fixtures → 





NO. AG-162: Height Overall 68". Lantern size with spears 19"x31 1/2", (less spears 16 1/2"x 31 1/2". Canopy 7 3/4". Gothic design frame, illustrated.

NO. AP-162: Same as above but with plain frames.

NO. BG-162: Height Overall 61". Lantern size with spears 19"x25", (less spears 16 1/2"x 25". Canopy 7 3/4". Gothic design frames.




NO. BP-162: Same as above but with plain frames.

NO. BP-511: Height Overall 52 1/2". Lantern size with spears 19"x36", (less spears 16 1/2"x 25". Backplate 7"x18 1/4". Wall to center 16 1/2". (Plain frame, illustrated).

NO. BG-511: Same as above except gothic frame.

NO. AP-511: Height Overall 58 1/2". Lantern size with spears 19"x43 1/2", (less spears 16 1/2"x 43 1/2". Backplate 7"x18 1/4". Wall to center 16 1/2". (Plain frame, illustrated.)

NO. AG-511: Same as above except gothic frame.



NO. AP-243: Height Overall 46 1/2". Lantern size with spears 19"x46 1/2", (less spears 16 1/2"x 46 1/2".) Backplates 7"x11". Wall to center 13 1/2". (Plain frame, illustrated.)

NO. AG-243: Same as above, except with gothic frame.

NO. BP-243: Height Overall 40 1/2". Lantern size with spears 19"x40 1/2", (less spears 16 1/2"x 40 1/2".) Backplates 7"x11". Wall to center 13 1/2". (Plain frame.)

NO. BG-243: Same as above, except with gothic frame.

Above lanterns can be furnished with glass bottom as on NO.


AG-162.

NO. AP-255: Height Overall 40". Lantern size with spears 19"x40", (less spears 16 1/2"x 40".) Base diameter 16 1/2". (Plain frame.)

NO. AG-255: Same as above, except with gothic frame.

NO. BP-255: Height Overall 33 1/2". Lantern size with spears 19"x33 1/2", (less spears 16 1/2"x 33 1/2".) Base diameter 16 1/2". hexagon (Plain frame, plain frame, illustrated.)

NO. BG-225: Same as above, except with gothic frame.




NO. AP-244: Height Overall 51". Lantern size with spears 19"x43 1/2", (less spears 16 1/2"x 43 1/2".) Base Diameter 13". (Plain frame, illustrated.)

NO. AG-244: Same as above, except with gothic frame.

NO. BP-244: Height Overall 42 1/2". Lantern size with spears 19"x36", (less spears 16 1/2"x 36".) Base Diameter 13". (Plain frame.)


NO. BG-244: Same as above, except with gothic frame.



NO. 466: Height overall 13". Lantern size 6"x10 1/2". Backplate 4 1/2"x6". Wall to center 5". Cylinder size 4"x4".



NO. 465: Height overall 15". Lantern size 6"x12". Backplate 4 1/2"x6". Wall to center 7 1/2". Cylinder size 4"x6".



NO. S-465: Height overall 19 1/2". Lantern size 6"x12". Backplates 6" and 3 1/2". Wall to center 6 1/4". Cylinder size 4"x6".




NO. 195: Height overall 12". Lantern size 6"x9". Backplates 6". Wall to center 7". Cylinder size 4"x6".



NO. 143: Height overall 15". Lantern size 6"x9". Canopy 5 1/4". Cylinder size 4"x6".



NO. 140: Height overall 30". Lantern size 6"x9". Canopy 5 1/4". Cylinder size 4"x6".



NO. 194: Height overall 15 1/2". Lantern size 6"x12 1/2". Backplate 6". Wall to center 7". Cylinder size 4"x6".




NO. 532: Height overall 10". Lantern size 4 1/2"x7 1/2". Backplate 4 1/2". Wall to center 5". Fresnel type globe.



NO. 469: Height overall 13 1/2". Lantern size 4"x8". Backplate 4 1/2". Wall to center 5 1/2". Cylinder size 2 1/2"x5 1/2"s5 3/4".



NO. 470: Height overall 16". Lantern size 4"x8". Canopy 4 1/2". Cylinder size 2 1/2"x5 1/2"s5 3/4".



NO. 456: Height overall 11 3/4". Lantern size 6 3/4" x 8 1/4". Backplate 4 1/4" x 6 3/4". Wall to center 7 1/2".




NO. 457: Height over all 11 1/4". Lantern size 6 3/4"x 11 1/4". Backplate 4 1/4"x 6 3/4". Wall to center 7 1/2".




NO. 458: Height overall 30". Lantern size 6 3/4" x 8 1/4". Canopy 5 1/4".




NO. 0472: Height overall 23 1/2". Lantern size 4"x6 3/4". Wall to center 7 1/2". Cylinder size 2 1/2"x5 1/2"x5 3/4". Maximum Watt. 100W.



NO. 0194: Height overall 22 1/2". Lantern size 6"x12 1/2". Backplate 4 1/4"x6 3/4". Wall to center 7 1/2". Cylinder size 4"x6".



NO. 459: Height overall 19". Lantern size 6"x16". Backplate 6". Wall to center 7". Cylinder size 4"x9 5/16".




NO. 463: Height overall 18 1/2". Lantern size 6"x16". Base diameter 4 3/4" square. Cylinder size 4"x9 5/16".

LIFETIME LIFELINE...  Approved


This is the thickness of the metal in our fixtures → 

SCALE - 1 INCH EQUALS 1 FOOT
0' 3" 6" 9" 1' 2' 3'




NO. A-706
Height overall 30".
Depth 6". Backplate
12"x30".


NO. B-706
Height overall 24".
Depth 5". Backplate
9"x24". Illustrated.




NO. 530:
Height overall 34".
Lantern size 9 1/4"x
33". Backplate
10 1/2"x34".




NO. DWB-520
Height overall
13 1/2". Depth
4 1/2". Backplate
7 1/4"x13 1/2".
Half cylinder
6"x8 1/4".




NO. DWA:520
Height overall
17 3/4". Depth
4 1/2". Backplate
7 1/4"x17 3/4".
Half cylinder
6"x12 1/4".




NO. DW:520
Height overall
22". Depth
4 1/2". Backplate
7 1/4"x22".
Half cylinder
6"x16 1/2".




NO. B-163:
Height overall 26".
Depth 7". Backplate
12"x26". Half cylin-
der 10"x15 1/2".



NO. A-163:
Height overall 34".
Depth 7". Backplate
12"x34". Half cylin-
der 10"x22 1/2".



NO. DWS:520
Height overall
27 1/2". Depth
7". Backplate
13 1/4"x27 1/2".
Half cylinder
12"x21".




Herwig Cast Posts

Herwig NO. EH-11-7

Herwig Posts

Optional
Cast Tapered & Fluted Shaft



NO. A-544:
Height overall 27".
Lantern size 7"x27".
Backplate 4"x19 1/4".
Wall to center 5".

NO. B-544:
Height overall 17".
Lantern size 7"x17".
Backplate 4"x12 1/2".
Wall to center 5".

NO. B-524: Height
overall 48". Lantern
size 6 1/2"x22". Can-
opy diameter 6 1/2".
Cylinder 6"x16 1/2".

NO. A-522: Height
overall 31". Lantern
size 8 1/2"x27". Base
diameter 6 1/2". Cyli-
nder 8"x22".

NO. E-520:
Height overall 10 5/8".
Lantern size 4"x10 5/8".
Backplate 3 1/2"x9".
Wall to center 4".
Cylinder 4"x6".
(Illustrated.)

NO. B-520: (Same as
#B-523 less bars.)

NO. A-524: Height
overall 54". Lantern
size 8 1/2"x27". Can-
opy diameter 6 1/2".
Cylinder 8"x22".

NO. B-522: Height
overall 26". Lantern
size 6 1/2"x22". Base
diameter 6 1/2". Cyli-
nder 6"x16 1/2".

NO. D-520:
Height overall 13 1/2".
Lantern size 4"x13 1/2".
Backplate 4"x12 1/4".
Wall to center 4".
Cylinder 4"x9 3/16".
(Illustrated.)

NO. B-523: Height
overall 22". Lantern
size 6 1/2"x22". Back-
plate 4"x19 1/4". Wall
to center 5". Cylinder
6"x16 1/2".

NO. 514:
Height overall 4'6".
Lantern size 9 1/4"x
33". Canopy 6".

NO. A-523: Height
overall 27". Lantern
size 8 1/2"x27". Back-
plate 4"x24 1/4". Wall
to center 6". Cylinder
8"x22".

NO. 505:
Height overall 33".
Lantern size 9 1/4"x
33". Backplate
5 1/2"x18". Wall to
Center 10".

NO. C-520:
Height overall 21".
Lantern size 4"x21".
Backplate 4"x19 1/4".
Wall to center 4".
Cylinder 4"x16 3/8".
(Illustrated.)


NO. A-520:
Height overall 27".
Lantern size 8"x27".
Backplate 4"x24 1/4".
Wall to center 6".
Cylinder 8"x22".
(Same as #A-523 less
bars.)

LIFETIME LIFELINE...  Approved


This is the thickness of the metal in our fixtures → 

SCALE - 1 INCH EQUALS 1 FOOT
0' 3" 6" 9" 1' 2' 3'

Colonial Lanterns




NO. 409:
Height overall 21". Lantern
size 9"x16". Backplate 4 1/4"x
6 3/4". Wall to center 7 1/2".




NO. 412:
Height overall 36". Lantern
size 9"x11". Canopy 5 1/4".



NO. C-409:
Height overall 26". Lantern
size 9"x16". Backplate 4 1/2"x
6 3/4". Wall to center 7 1/2".
Maximum Watt. 150W.




NO. 407:
Height overall 16". Lantern
size 9"x13". Backplate 4 1/4"x
6 3/4". Wall to center 7 1/2".




NO. 411:
Height overall 14". Lantern
size 9"x11". Backplate 4 1/4"x
6 3/4". Wall to center 7 1/2".



NO. C-413:
Height overall 23". Lantern
size 9"x13". Backplate 4 1/2"x
6 3/4". Wall to center 7 1/2".
Maximum Watt. 150W.



NO. 408:
Height overall 36". Lantern
size 9"x13". Canopy 5 1/4".



NO. 413:
Height overall 18 1/2". Lantern
size 9"x15". Backplate 4 1/4"x
6 3/4". Wall to center 7 1/2".



NO. C-404:
Height overall 33". Lantern
size 11"x19 1/2" Backplate
4 1/2"x9". Wall to center 10 1/4".
Maximum Watt. 300W.



NO. 400:
Height overall 28 1/4". Lantern
size 5 3/4"x6" Backplate
4 1/2"x12". Wall to center 5 1/2".
Hand moulded glass.




NO. 401:
Height overall 28". Lantern
size 6 1/4"x6" Backplate
4 1/2"x6 3/4". Wall to center 7 1/2".
HEAVY HAND_BEVELED 5/16"



NO. 406:
Height overall 18 1/4".
Lantern size 9"x16"
Base diameter 4 3/4".




NO. 403:
Height overall 22".
Lantern size 11"x19 1/2"
Base diameter 4 3/4".




NO. 402:
Height overall 36".
Lantern size 11"x12 1/2"
Canopy 5 1/4".




NO. 410:
Height overall 15 1/4".
Lantern size 9"x13"
Base diameter 4 3/4".




NO. 404:
Height overall 27".
Lantern size 11"x19 1/2"
Backplate 4 1/2"x9".
Wall to center 10 1/4".



NO. 405:
Height overall 18 1/2".
Lantern size 11"x12 1/2"
Backplate 4 1/2"x9".
Wall to center 10 1/4".




Herwig No. 2900 Lantern
w/#LR-3.5 Post Fitter



Herwig No. 3020 Lantern
w/#LR-3.5 Post Fitter



No. 414:
Height overall 48".
Lantern size 15"x30".
Canopy 5 1/4".



No. 415:
Height overall 45 1/2".
Lantern size 15"x30".
Backplate 12"x15 1/2".
Wall to center 12".



No. 416:
Height overall 37".
Lantern size 15"x30".
Base 7".

POST STANDARDS AND BASES

POST ARE NOT TO SCALE.



A: Base
diameter
7 3/4" r.d.

B: Base
diameter
8 1/2" Square

C: Base
diameter
12" Square

D: Base
diameter
14 1/4" Hexagon.

E: Base
diameter
12 1/4" rd.

F: Base
diameter
12" Square.

G: Base
diameter
14 1/2" Hexagon.


H: Base
diameter
14 1/2" Hexagon.

LIFETIME LIFELINE ...




This is the thickness of the metal in our fixtures →






NO. P-23 illustrated-JR-post cap



Herwig Bollard
Octagonal Base



NO. 1: Height 13"
Diameter at top 7".
Posts A or B.




NO. 2: Height
12 1/2" Diam-
eter 6". Cylinder
size 4"x6". Posts
A or B.




NO. 3: Height 12"
Diameter 5".
Posts A or B.




NO. 4: Height 17".
Diameter at top 9".
Posts A or B.



NO. 5: Height
16" Diameter
6". Cylinder
size 4"x9 3/16".
Posts A or B.



NO. 6: Height 17".
Diameter 7". Posts
A or B.



NO. 7: Height 13".
Diameter at top 9".
Posts A, B, or E.



NO. 8: Height 16".
Diameter at top 9".
Posts A, B, or E.



NO. 9: Height 18 1/2".
Diameter at top 11 1/2".
Posts A, B, or E.




NO. 10: Height 22".
Diameter 9".
Posts C, D, or E.




NO. 11: Height 22".
Diameter 6 1/2".
Cylinder size 6"x
16 1/2". Posts C, D,
or E.




NO. 12: Height 19 1/2".
Diameter at top 11".
Posts C, D, E, or F.




NO. 13: Height 25".
Diameter 11 1/2".
Posts C, D, E, or F.



NO. G-14: Height 25".
Diameter 11 1/2". Gothic
frame, illustrated.
Posts C, D, E, or F.
NO. P-14: Height 25".
Diameter 11 1/2". Plain
frame, not shown.



NO. 15: Height 25".
Diameter 11".
Posts C, D, E, or F.





NO. 16: Height 22".
Diameter 14 1/2".
Posts C, D, E, F, or G.

LIFETIME LIFELINE...




This is the thickness of the metal in our fixtures →






NO. G-17: Height 30 1/2".
Diameter 11 1/2". Gothic
Frame. Illustrated. Posts C,
D, E, F, or G.
NO. P-17: Height 30 1/2".
Diameter 11 1/2". Plain frame
Not Shown.



NO. 18: Height 28 1/2".
Diameter 9 1/4". Gothic
Frame. Illustrated. Posts C,
D, F, or G.



NO. A-19: 8" holder size.
Posts C, D, E, F, G, or H.
NO. B-19: 6" holder size.
Posts C, D, E, F, G, or H.
NO. C-19: 4" holder size.
Posts A or B.
NO. D-19: 3 1/4" holder size.
Posts A or B.



NO. 20: Height 27".
Diameter 8 1/2". Cylinder
Size 8"x22". Posts F,
G, or H..



NO. 21: Height 27".
Diameter 7". Post E.




NO. 22: Height 31".
Diameter at top 18 1/2".
Post G or H.




NO. 22: Height 31".
Diameter at top 18 1/2".
Post G or H.




NO. P-23: Height 32". Diameter at top 17".
Plain frame, illustrated. Post F, G, or H.
NO. G-23: Same as above, except with gothic
frame.



NO. 25: Height 44".
Diameter 19". Post F,
G, or H.



NO. 26: Height 37".
Diameter 17 1/2".
Post F, G, or H.



NO. AP-27: Height
43 1/2". Diameter 19".
Plain frame, illustrated;
with or without spears.
Posts F, G, or H.
NO. AG-27: Height
43 1/2". Diameter 19".
Gothic frame, not shown;
with or without spears.
NO. BP-27: Height
36". Diameter 19".
Plain frame, illustrated;
with or without spears.
NO. BG-27: Same as
above, but with gothic
frame, not shown; with
or without spears.


LIFETIME LIFELINE...  Approved

This is the thickness of the metal in our fixtures → 


SCALE - 1 INCH EQUALS 1 FOOT
0' 3" 6" 9" 1' 2' 3'




NO. 181: Canopy or base 9 1/2"x11". Lantern size 9"x10".



NO. 173: Canopy or base 9 1/2" sq.. Lantern size 5"x8".



NO. 65: Backplate 4 1/2"x9". Wall to center 10 1/4". Holder size 6".



NO. 155: Backplate 4 1/2"x9". Wall to center 10 1/4". Holders size 6" on top and 3 1/4" on bottom.



NO. C-311 Holder size 4". Base diameter 9". Illustrated




NO. 172: Canopy 10 1/2" Diameter. Lantern size 11"x7".




NO. B-95 Holder size 6". Base diameter 10".

NO. C-95 Holder size 4". Base diameter 8".




NO. 461: Backplate diameter 6". Wall to center 7". Holder size 3 1/4" or 4" (state size). 8" globe



ND: Backplate 4 1/4"x6 3/4". Wall to center 7 1/2". For use with lantern or globe hanging down.

NU: Same measurement as above. For use with lantern or globe up.



OU: Backplate 6". Wall to center 7". For use with lantern or globe up.

OD: Same measurement as above. For use with lantern or globe hanging down.

Pier Fixtures



NO. A 102: Height to globe 5". Base diameter 5". Holder size 6".

NO. B 102: Height to globe 5". Base diameter 5". Holder size 4".



NO. A 136: Base diameter 13". Holder size 8".

NO. B 136: Base diameter 10". Holder size 6".

NO. C 136: Base diameter 8". Holder size 4".



NO. 468: Backplate 4 1/2"x6 3/4". Wall to center 7 1/2". Holder size 3 1/4" or 4" (state size).



NO. C-468: Backplate 4 1/4"x6 3/4". Wall to center 7 1/2". Holder size 3 1/4" or 4" Maximum Watt. 150W.

3 1/4", 4", 6" size (state size and whether to be used up or down). See NO. 19-Page 23.




PD: Backplate 4 1/2"x9". Wall to center 10 1/4". For use with lantern or globe hanging down.

PU: Same measurement as above. For use with lantern or globe up.

LIFETIME LIFELINE ... Approved

This is the thickness of the metal in our fixtures →

SCALE - 1 INCH EQUALS 1 FOOT



#WJM-10-10'-10"

J Shaft 99" (8'3")

#WMH-9 (9'1")

H Shaft 78" (6'6")

#WMG-7 (7'4")

G Shaft 57" (4'9")

#WM-12

12' Height

#WM-10

10' Height

#WM-8

8' Height


#WM-Base
31" Height

15"




NO. 66:

Backplate 4 1/2"x9". Wall to center 10 1/4". Holder size 6". Maximum Watt. 300W.




W/ 12"
Ball

NO. 215: Height overall, less globe, 15 1/2". Backplate 6 3/4"x 14". Wall to center 12". Holder size 5" or 6" (state size).



W/ 12"
Ball


NO. 91: Height overall, less globe, 18". Backplate 5 1/2" sq. Wall to center 9". Holder size 6".




W/ 12"
Ball

NO. A-131: Height overall, less globe, 22". Backplate 7 3/4"x 16". Wall to center 16". Holder size 5" or 6" (state size).

NO. B-131: Height overall, less globe, 20". Backplate 7 3/4"x 16". Wall to center 12". Holder size 5" or 6" (state size).



NO. 207: Height overall, less globe, 11". Backplate 7 1/2"x 10". Wall to center 10 1/2". Holder 6".



8" or 6"
Holder only

NO. A-214: Height overall, less globe, 16". Backplate 7 1/2"x 10". Wall to center 18". Holder size 8".

NO. B-214: Height overall, less globe, 15". Backplate 7 1/2"x 10". Wall to center 18". Holder size 6".


LIFETIME LIFELINE...



Approved

This is the thickness of the metal in our fixtures →





Ball Globes:

Number	Holder	Diameter	Glass
A-300	3 1/4"	6"	Ruby
B-300	3 1/4"	7"	Opal
C-300	4"	8"	Opal
D-300	5"	10"	Opal
E-300	6"	12"	Opal
F-300	8"	14"	Opal
G-300	8"	16"	Opal

Opal Pear Shaped Globes:

Number	Holder	Diameter	Length
A-302	6"	12"	13"
B-302	4"	10"	11"

Opal Squat Globes:

Number	Holder	Diameter	Depth
A-303	10"	11 1/8"	5 1/2"
B-303	8"	9 1/8"	4 3/4"

Opal Canteen Globes:

Number	Holder	two diameters
A-305	6"	7" x 16"
B-305	6"	7" x 14"

No. 301: Opal Glass Cylinders

Diam.	Length	
4" x 4"		for No. 466
4" x 6"		for No. 140, 194, 195, 465, and E-520.
4" x 9 3/8"		for No. D-520, 459 and 463.
4" x 16 3/8"		for No. C-520.
6" x 16 1/2"		for No. B-520, B-523, B-522, B-524, etc.
8" x 22"		for No. A-520, A-522, A-523 and A-524.

No. 304: Opal Glass Half Cylinders

Diam.	Length	
6" x 8 1/4"		for DWB-520.
6" x 12 1/4"		for DWA-520.
6" x 16 1/2"		for DW-520.
10" x 15 1/8"		for B-163.
10" x 22 1/2"		for A-163.
12" x 21"		for DWS-520.

Rippled Surface Globes:

(Consisting of three pieces)

No. 306: 6" holder x 13 1/2" diameter x 25" overall height (including canopy and finial).

No. 307: 8 3/8" holder x 15 1/4" diameter x 25" overall height (including canopy and finial).

Special Glassware:

No. 313: Cone shape globe used for No. 469 and No. 470, in either crackled amber or clear crackled.

No. 314: Fresnel type globe used on No. 532.